










Product Picture	Product Name	Product Code	Description
	AH3-NB AC 220V power-on delay relay with	Vicky0001	Size:40*57*50mm Delay range:3S/30S/3M/30M Accurate power-on,accurate delay,adjustable in seconds
	UNI-T UT210E clamp multimeter	Vicky0002	Size:175*60*33.5mm Product weight:170g With non-contact AC voltage sensing measurement (NCV) function With high-precision frequency measurement function,the minimum resolution is 0.001Hz
	GIM3505-8 gear motor with GDS34 drive	Vicky0003	Widely used in legged robots,robotic arms,SCARA robots Reduction ratio:8:1 Nominal voltage:24V Nominal torque:0.43Nm Motor weight:84g
	Head-mounted medical magnifier	Vicky0004	2.5x:suitable for beginners,less prone to dizziness 3.5x:smaller field of view,clearer magnification Interpupillary distance can be rotated and adjusted;51-65mm
	Banana PI BPI M2 Berry development Board	Vicky0005	1GB DDR3 SDRAM memory
	GM8901 handheld anemometer	Vicky0006	This digital anemometer is used to measure air speed and air temperature With backlight for easy reading at darkness Massive storage,can record 500 data Automatically shut down after 10 minutes of no operation,environmentally friendly and energy-saving
	YHXY-002R DC resistance tester	Vicky0007	Range:0.1 milliohms-20 ohms Size:62.8*39*13.8mm Test cable length:50cm Built-in lithium battery with long standby time,continuous use>3.5 hours

	LCR-T7 transistor tester	Vicky0008	<p>Can measure:diode,resistance,capacitance,inductance,etc. The maximum charging input voltage is 6V Long press for 30 seconds to switch between Chinese and English versions!</p>
	Key identification plate	Vicky0009	<p>Product size:4.7*2cm Material:ABS Writing paper size:3.2*1.7cm</p>
	TYPE C silicone dust cover	Vicky0010	<p>Color:White and Black Material:Silicone</p>
	Dual light source flashlight	Vicky0011	<p>Light colors:white,purple Size:51*135*34mm Aluminum alloy shell,enhanced corrosion resistance and UV resistance Non-slip textured handle</p>
	5mw Laser pointer	Vicky0012	<p>Size:14mmX155mm Wavelength: Blue and purple light 405nm;Green light 532nm;Red light 650nm Range:100-500m (the farthest visible distance to the human eye at night)</p>
	18650 battery box	Vicky0013	<p>External dimensions:70*47*100mm Internal dimensions:65*42*87mm</p>
	Flame retardant cable protection tube	Vicky0014	<p>Diameter:3-150mm Used for protection and beautification of various wires Easy to bend,with good elasticity,flexibility and wear resistance Temperature resistance:240 °C(±10 °C)</p>

	5V2A 3pin magnetic connector	Vicky0015	Rated operating temperature:-20℃-70℃ Plastic material,PA46 can pass reflow soldering Maximum withstand voltage:500V