
















Product Picture	Product Name	Product Code	Description
	3030 side-emitting LED	Xylia0001	Application: Side light source for various advertising light boxes Colour: Red, green, blue, yellow, white, warm white LED Type: 3030 Voltage :12V/24V Power :1.5W
	S-type 2835 soft LED strip	Xylia0002	Application: car decoration, Architectural decorative lighting, arch, canopy and bridge edge lighting Colour: Red/White/Pure white/Natural white/Warm white/Blue/Green/Yellow/Purple/Orange/Rose red/Ice blue Led beads :2835 Voltage :12V Power :5.5W
	LED dimmer	Xylia0003	Features:Adjustable brightness. It has automatic memory function. Input voltage:DC 12-24V 30A Input current:0-30A Power:12V 360W/24V 720W,small power greater than 1 W.
	3030 diffuse reflection LED strip	Xylia0004	Application: Interior design, such as decoration of home, hotel, KTV etc. Colour: White LED Type: 3030 Voltage :220V
	Diffuse reflection lens LED strip	Xylia0005	Application: It is suitable for interior atmosphere decoration in public or entertainment venues of home decoration Colour: White light/Neutral light/Warm light Board width :8MM Voltage :220V
	COB LED module	Xylia0006	Application: Illuminated letters, backlit letters, illuminated light boxes, illuminated signs Colour: Red, yellow, blue, green, white, warm white LED Type :COB Voltage :12V Power :2W
	Injection molding LED module LED strips	Xylia0007	Application: Illuminated letters, backlit letters, illuminated light boxes, illuminated signs Colour: Red, yellow, blue, green, white, warm white LED Type :3030 Voltage :220V Power :2W

	Warning flashing light	Xylia0008	<p>Application: It is applicable to automobiles, tricycles, trucks, roadside warnings, etc</p> <p>Colour: Green, yellow, blue and white flash alternately</p> <p>Voltage :12V</p> <p>Power :The starting power is 25W and 6w when flashing</p>
	COB soft LED strip	Xylia0009	<p>Application: It is suitable for interior atmosphere decoration in public or entertainment venues of home decoration</p> <p>Colour: Pink light, blue, purple, white, ice-blue light, warm white, red, yellow, green, neutral light</p> <p>Voltage :12V</p> <p>LED Type :COB</p>
	2835 Mini LED module	Xylia0010	<p>Application: Illuminated letters, backlit letters, illuminated light boxes, illuminated signs</p> <p>Colour: Red, green, blue, yellow, white, warm white</p> <p>Voltage :12V</p> <p>Size: 12*10*10MM</p> <p>LED Type :2835</p>
	2835 diagonal row LED strip	Xylia0011	<p>Application: Widely used for lighting, green tree lighting, etc.</p> <p>Voltage :220V</p> <p>LED Type :2835</p>
	WS2812B Colorful running LED strip	Xylia0012	<p>Colour: full color</p> <p>Voltage :5V/12V</p> <p>LED Type :5050RGB</p> <p>Power: 43.2W/m</p>
	LED controller	Xylia0013	<p>This controller can be used on low-voltage constant-voltage LED light strips, light strips and module lights.</p> <p>It can control multiple channels and is easy to operate, thereby achieving effect control of different channels and achieving an ultra-cool dynamic effect</p>
	LED indicator light	Xylia0014	<p>Application: Warning vehicle side lights, truck side lights</p> <p>Colour: White, red, blue, green, yellow</p> <p>Voltage :24V/12V</p> <p>LED Type :2835</p> <p>Size: 93*40*12MM</p>

	3 channels RGB dimmer	Xylia0015	<p>The LED 3-way dimmer adopts advanced PWM controller technology.</p> <p>It is used to control various RGB lamps with LED as the light source, such as RGB LED light strips, LED modules, LED light strings, etc</p>