






Product Picture	Product Name	Product Code	Description
	Smart Voice Broadcast Multimeter	Sarah0061	<p>Model: 113S Brand: ANENG Product size: 62mm/2.44inch * 28mm/1.1inch * 117mm/4.6inch Product weight: 84g body weight Product accessories: multimeter, pen, manual, packaging box Battery model: No. 7 battery*2 Pen length: 73cm Pen material: PVC/brass AC voltage: 0.2V-600V DC voltage: 0.8V-600V Resistance: 0-10MΩ Other functions: voice broadcast, NCV sensing, data hold, automatic recognition, automatic range, on/off beep, low</p>
	Universal Battery Level Tester	Sarah0062	<p>Model: BT189 Brand: ANENG Product material: ABS Plastic Product size: 92.2*61.4*13.5mm Product weight: About 31.3g Product packaging: Blister packaging Measurable battery types: N-type, D Battery, C Battery, AA Battery, AAA Battery, 14500, 10440, 16340, Coin cell battery, 9V battery</p>
	Universal Battery Level Tester	Sarah0063	<p>Model: BT169 Brand: ANENG Product weight: 32g Product size: 3.90cm/1.53inch * 9.45cm/3.72inch * 1.8cm/0.7inch Display mode: Digital display voltage Power supply: No power supply required Material: ABS plastic Product packaging: Blister packaging Measurable battery models: D Battery, C Battery, AA Battery, AAA Battery, 9V battery, Button battery, 21700 lithium battery, 18650 lithium battery, 16340 lithium battery Note: This detector can only measure 0V/1.2~4.8V batteries!</p>
	Sound and Light Alarm Induction Test Pen	Sarah0064	<p>Model: 1AC-D Brand: ANENG Color: Orange/Blue (Random) Material: ABS AC voltage: AC 90~1000V Size: 139.1mm/16.8mm/25.3mm Product weight: 22.6g Battery: 2pcs*AAA battery Battery installation steps: Press and hold the black cube on the back of the product without letting go; Pull up the cap while holding it down; Align the positive and negative electrodes and install 2pcs AAA battery More details: Humanized pen clip design: The electric pen can be hung on clothes at any time, making it easy to carry.</p>
	2-in-1 Pen-Type Multimeter	Sarah0065	<p>Model: A3006 Brand: ANENG AC voltage: 0.8V~600V DC voltage: 0.8V~600V Capacitance: 0.01~2000μF Resistance: 0.1Ω~40MΩ Hertz: 10Hz~10MHz Maximum Count: 4000 Count Product size: 190mm/7.48inch*27.7mm/1inch*28.7mm/1.12inch Pen length: 93cm/36.6inch Pen material: PVC/Brass Battery model: 2pcs*AAA Battery Auto shutdown: 15 minutes of inactivity will automatically shut down Other functions: diode, on/off beep, zero live wire, NCV induction electricity, data hold, backlight bright screen, flashlight illumination</p>

	<p>Intelligent Anti-burn Digital Multimeter</p>	<p>Sarah0066</p> <p>Model: DT9205A Brand: ANENG Product size: 192*90*37.3mm/7.55*3.54*1.47inch Product material: ABS Total length of the pen wire: 70cm/27.5inch Wire material: PVC/Brass Battery model: 6F22 9V Maximum display: 1999 count AC voltage: 0~750V DC voltage: 0~1000V AC current: 1~20A DC current: 0~20A Capacitance: 0~200μF Resistance: 0~20M Automatic shutdown: 15 minutes of no operation will automatically shut down Other functions: triode (input), diode, on/off beep, data hold, silicone sheath, support frame Net weight of bare metal: 187g (without battery) Product Gross Weight: 347g (including battery) Packaging: Multimeter/Meter Pen Wire/Manual/Color Box Packaging</p>
	<p>G50/G70/G100/G120 Green Light Laser Rangefinder Indoor/Outdoor Universal</p>	<p>Sarah0067</p> <p>Model: G50/G70/G100/G12 Brand: ANENG Product size: 11x4.5x2.4cm/4.33x1.77x0.96inch Measurement range: G50=50Meters;G70=70Meters;G100=100Meters;G120=120 Meters Measurement speed: 0.5-1s Measurement Accuracy: ±1.5mm* Measurement datum selection: pre-datum/post-datum Unit of measurement selection: m/inch/ft Historical data storage: 30 groups Battery Type: 2*AAA Laser Grade: Class II Operating temperature: 0-40℃ Storage temperature: -25-70℃ Product weight: 80g</p>
	<p>75W Smart Portable Soldering Iron with Multimeter Function</p>	<p>Sarah0068</p> <p>Model: SL109 Brand: ANENG Color: Blue/Black Product size:14.7cm*2cm/5.79inch*0.78inch Temperature range: 100℃~450℃/212°F~842°F Automatic shutdown time(Settable):5 minutes/10 minutes/15 minutes/20 minutes/OFF Battery: Lithium Polymer Rechargeable Battery 3.7V 800mAh Power Supply Port: Type-C Input maximum voltage: 20V Power: 75W max Material: Aluminum,ABS,Silicone Weight: 75g (without soldering iron tip) Soldering iron tip model: T65 Test rate: 3 times/second Standard Packing List:Soldering iron/Box/Cathode Meter Pen Tip/Meter pen cable/Charging cable/Soldering iron holder/Instruction manual</p>

	<p>Smart U-shaped Clamp Meter</p>	<p>Sarah0069</p> <p>Model: PN130 Brand: ANENG Product size:1.91cm*3.05cm*15cm/ 0.75inch*1.20inch*5.9inch Material: ABS DC Current: 0~100A AC Current: 0~100A DC Voltage: 0~600V AC Voltage: 0~600V Resistance: 0~20MΩ Capacitance: 0~4mF Hz frequency: 0~4MHz Maximum Count: 4000 Count Other functions: Diodes,USB lithium battery charging,Buzzer,NCV sensing,Auto-range,Data hold,Flashlight lighting,Low power reminder,VA color screen Auto shutdown: 15 minutes of inactivity will automatically shut down Weight: About 76g Packing List:Clamp meter,Package box,Pen wire,Charging cable,Instruction manual.</p>
	<p>TH103/TH104/TH05/TH06 Infrared Thermometer</p>	<p>Sarah0070</p> <p>Model: TH103/TH104/TH05/TH06 Brand: ANENG Product Type: TH103: Ordinary Screen; -20℃~380℃; Single-point temperature measurement TH104: Upgraded Color Screen; -50℃~550℃; Single-point temperature measurement TH05: Professional Color Screen; -20℃~650℃; Circular temperature measurement TH06: Luxury High-temperature Color Screen; -20℃~750℃; Circular temperature measurement Product size:41.5mm*92mm*29mm*155mm / 1.63inch*3.62inch*1.14inch*6.1inch Measurement distance: D:S=12:1 Measurement time: 0.5 seconds ; other models ≤ 0.5 seconds EMS Emissivity: 0.95 (TH103) ; 0.10~1.00 adjustable (other models) More parameters: The specific parameters of different models are different</p>
	<p>Home Handheld Noise Detection Meter Decibel Meter</p>	<p>Sarah0071</p> <p>Model: GN102 Brand: ANENG Product Size:16.3cm/6.42inch(Lengh) Measuring range: 30-130dB Sampling rate FAST: 125ms Sampling rate SLOW: 1sec Noise accuracy: ±2dB Frequency response range: 30Hz-8KHz Resolution: 0.1dB Material: ABS Battery model:2*AAA Battery Weight: 53g Auto shutdown: 15 minutes of inactivity will automatically shut down</p>
	<p>2-in-1 Handheld Infrared Thermal Imager Digital Multimeter</p>	<p>Sarah0072</p> <p>Model: AR01 Brand: ANENG Product Size:3.4cm*7.6cm*14.9cm/1.33inch*2.99inch*5.86inch Weight: 200g Material: ABS/TPE Language available: Chinese Simplified/English Adjustable screen brightness:10%~100% Auto Shutdown: OFF/15 minutes/30 minutes/60 minutes/120 minutes Charging: USB interface 5V USB interface: Type-C Product Function: Thermal Imager + Multimeter (More Parameter Details) Packing List: Packaging box, Thermal imaging multimeter, Instruction manual, Pen wire, Charging cable, 5Storage bag</p>

	<p>POE Multifunctional Network Finder Line Finder</p>	<p>Sarah0073</p> <p>Model: M469C Brand: ANENG Color:Red/Black Product Size: Transmitter (5.65cm*2.8cm*12.7cm/2.22inch*1.11inch*5inch); Receiver (4.6cm*3.15cm*18.5cm/1.81inch*1.24inch*7.28inch) Battery: 6F22 9V battery Interface end: RJ11/RJ45 Flashlight: Comes with a flashlight light Material: ABS Weight: Transmitter 62g / Receiver 77g Automatic shutdown: It will automatically enter the shutdown state about 1 hour after turning on. Headphone function: In a noisy environment, you can plug in the headphones for operation without external interference. More function: network line, phone line, network cable proofreading, power cable line, DC level test, low voltage</p>
	<p>Smart Digital Display Temperature Controller</p>	<p>Sarah0074</p> <p>Model: YC503 Brand: ANENG Product Size:4.85cm*9.65cm/1.91inch*3.79inch Maximum current: 10A Temperature range: -10°C-100°C Maximum power: 2500W Rated voltage: 250V~ Standby power: <1W Measurement accuracy: Level 1 Correction function: -9.9~9°C Weight: 109g Material: ABS Total length of the temperature wire: 95cm Lock the anti-false touch function Refrigeration and heating mode Backlit screen Plug: GB 10A plug Packing List: Packaging box, Temperature Controller, Instruction manual</p>
	<p>Socket Tester Power Wiring Detector</p>	<p>Sarah0075</p> <p>Model: AC11 Brand: ANENG Plug Type: US/EU/AU Plug Material: ABS Battery: AAA Battery(1.5V) Rated Residual Operating Current: >30mA Weight: 96g Rated voltage: 0.1V~250V/40~1KHz Size: 64.5mm*64.5mm*58.2mm/2.54in*2.54in*2.29in Button display, small and convenient Leakage protection, Power polarity detection, Leakage trip detection, Voltage measurement, NCV non-contact sensor detection. Information can be compared according to the corresponding instruction manual screen according to the measurement results</p>